

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11051	network same (service provider or ISP) same (gateway or router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:21
S2	73	S1 same (identif\$5 near (router or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:31
S3	174	S1 same (identif\$5 near3 (router or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:32
S4	29	S3 same (identif\$5 near3 (service provider or ISP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 17:00
S6	0	S1 same (community near3 network near3 service near3 provider near3 connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:13
S7	0	community near3 network near3 service near3 provider near3 connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:13
S8	17	community near3 network near3 service near3 provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:14
S10	25	S1 same (broadband near3 remote near3 access near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:30
S11	0	S3 same (broadband near3 remote near3 access near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:30

S12	0	S3 same (remote near3 access near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:31
S13	118	S1 same (remote near3 access near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:31
S15	0	S13 same (identif\$5 near3 (router or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:32
S16	15	S13 and (identif\$5 near3 (router or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 18:33
S17	11051	network same (service provider or ISP) same (gateway or router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 07:42
S18	174	S17 same (identif\$5 near3 (router or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 07:42
S19	73	S18 same (identif\$5 near (router or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 07:42
S20	31383	network same (service provider or ISP) same (gateway or router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 16:26
S21	16396	S20 and @ad<"20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 16:27
S22	3	S21 and ((delet\$3 near3 (data or informat\$3)) same (terminat\$3 near3 (connect\$3 or link)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:31

S23	678	S21 and ((delet\$3 or eras\$3 or remov\$3 near3 (data or informat\$3)) same (terminat\$3 or disconnect\$3 near3 (connect\$3 or link)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:41
S24	0	S23 and ((service provider) near3 send\$3 (message or instruc\$3) near6 (delet\$3 or eras\$3 or remov\$3) near3 (data or informat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:45
S25	0	S23 and ((service provider) near3 send\$3 near6 (message or instruc\$3) near6 (delet\$3 or eras\$3 or remov\$3) near3 (data or informat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:46
S26	171	S23 and ((send\$3 near6 (message or instruc\$3)) near6 ((delet\$3 or eras\$3 or remov\$3) near3 data or informat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:47
S27	140	S26 and (service provider or isp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:48
S28	0	S27 and (reciev\$3 near3 (delet\$3 or eras\$3) near3 (instruct\$3 or message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:55
S29	37	S27 and ((delet\$3 or eras\$3) near3 (instruct\$3 or message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/14 16:55
S30	27	identificat\$5 near3 gateway and identificat\$5 near3 provider and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/13 16:50
S31	2334	gateway near3 identificat\$5 and service provider near3 identificat\$5 and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/13 17:08

S32	10	gateway near3 identificat \$5 and service provider near3 identificat\$5 and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:09
S33	132	gateway near3 (identificat \$5 or address) and service provider near3 (identificat \$5 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:17
S34	0	gateway near3 (identificat \$5 or address) and service provider near3 (identificat \$5 or address) and (data near3 charactri4) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:21
S35	27	gateway near3 (identificat \$5 or address) and service provider near3 (identificat \$5 or address) and bandwidth and priority and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:22
S36	193	gateway near6 (cpe or cuustomer premises equipment) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:33
S37	101	gateway near6 (cpe or cuustomer premises equipment) and service provider and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:34
S38	101	gateway near6 (cpe or cuustomer premises equipment) and service provider and network and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:34
S39	61	gateway near6 (cpe or cuustomer premises equipment) and service provider and data network and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:34

S40	25	gateway near6 (cpe or cuustomer premises equipment) and service provider and data network and gateway near6 (identi\$7 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:35
S41	5	gateway near6 (cpe or cuustomer premises equipment) and service provider and data network and gateway near6 (identi\$7 or address) and service provider near6 (identit\$6 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/13 17:36
S42	0	proviider near6 (send\$5 or provid\$5 or transmit\$5 or forward\$5) near6 data same network and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:48
S43	0	proviider near6 (send\$5 or provid\$5 or transmit\$5 or forward\$5) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:48
S44	12441	(proviider or isp) near6 (send\$5 or provid\$5 or transmit\$5 or forward\$5) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:49
S45	4118	(proviider or isp) near6 (send\$5 or provid\$5 or transmit\$5 or forward\$5) and network near6 receiv\$5 near6 data and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:52
S46	0	(proviider or isp) near6 (send\$5 or provid\$5 or transmit\$5 or forward\$5) and network near6 receiv\$5 near6 data with gateawy near6 (identificat\$5 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:53

S47	0	(provider or isp) near6 (send\$5 or provid\$5 or transmit\$5 or forward\$5) and network near6 receiv \$5 near6 data sam egateawy near6 (identificat \$5 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:53
S48	0	((forward\$5 or send\$5 or transmit\$5) near6 data) with (egateawy near6 (identificat\$5 or address)) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:55
S49	3245641	forward\$5 or send\$5 or transmit\$5 near6 data with egateawy near6 identificat\$5 or address and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:56
S50	2817953	forward\$5 or send\$5 or transmit\$5 near6 data with egateawy near6 (identificat\$5 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:56
S51	0	(forward\$5 or send\$5 or transmit\$5 near6 data) with egateawy near6 (identificat\$5 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:58
S52	0	(forward\$5 or send\$5 or transmit\$5 near6 data) same egateawy near6 (identificat\$5 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 06:59
S53	0	(forward\$5 or send\$5 or transmit\$5) near6 data same egateawy near6 (identificat\$5 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:00
S54	567655	(forward\$5 or send\$5 or transmit\$5) near6 data and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:01

S55	7936	(forward\$5 or send\$5 or transmit\$5) near6 data same gateway and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:01
S56	831	(forward\$5 or send\$5 or transmit\$5) near6 data same gateway near6 (identif\$7 or address) and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:03
S57	314	(forward\$5 or send\$5 or transmit\$5) near6 data same gateway near6 (identif\$7 or address) and bandwidth and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:04
S58	160	(forward\$5 or send\$5 or transmit\$5) near6 data same gateway near6 (identif\$7 or address) and bandwidth and priorit\$5 and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:04
S59	8	(forward\$5 or send\$5 or transmit\$5) near6 data same gateway near6 (identif\$7 or address) same bandwidth and priorit\$5 and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:05
S60	0	gateway near6 customer premises receiv\$5 near6 (identif\$7 or address) same bandwidth and priorit\$5 and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:47
S61	0	gateway near6 customer premises same receiv\$5 near6 (identif\$7 or address) same bandwidth and priorit\$5 and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:47
S62	3	gateway near6 customer premises and receiv\$5 near6 (identif\$7 or address) same bandwidth and priorit\$5 and @ad< "20030515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/09/14 07:47

9/15/2008 8:53:04 AM

C:\Documents and Settings\sbokhari\My Documents\EAST\Workspaces\10722194.wsp